



1.5 WIDEVIEW OCCUPATIONAL

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.498
V	Abbe Value:	58
	Density:	1.32
	UV:	355 (Up to 460*)

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Minimum fitting heights:
Regular 18mm
Short 14mm
- Fitting cross 2mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing
- Not suitable for driving

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39				
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓



* Diameters from 50mm to 80mm - dependent on prescription

DISPENSING INFORMATION





- MY DESKTOP 1.3m
- MY OFFICE 2m
- MY MEETING 4m

* Degression is dependent on the addition value and the working distance. See degression chart in the PRODUCTS section.

1.5 WIDEVIEW OCCUPATIONAL

Honeycomb with Hydro+

TECHNICAL INFORMATION

	Refractive Index:	1.498
	Abbe Value:	58
	Density:	1.32
	UV:	400

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Minimum fitting heights:
Regular 18mm
Short 14mm
- Fitting cross 2mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing
- Not suitable for driving
- Not suitable for tinting

LENS PROPERTIES

		Hydro+
	Optimum clarity	✓
	Scratch resistant	✓
	Easy clean	✓
	Anti-reflective	✓
	Super-hydrophobic	✓
	Thinner than CR39	
	Freeform technology	✓
	Filters blue light	



* Diameters from 50mm to 80mm - dependent on prescription

DISPENSING INFORMATION



- MY DESKTOP 1.3m
- MY OFFICE 2m
- MY MEETING 4m

* Degression is dependent on the addition value and the working distance. See degression chart in the PRODUCTS section.

1.59 POLYCARBONATE WIDEVIEW OCCUPATIONAL

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.59
V	Abbe Value:	31
	Density:	1.20
	UV:	385 (Up to 460*)

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Minimum fitting heights:
Regular 18mm
Short 14mm
- Fitting cross 2mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for tinting
- Not suitable for driving

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓



* Diameters from 50mm to 80mm - dependent on prescription

DISPENSING INFORMATION



- MY DESKTOP 1.3m
- MY OFFICE 2m
- MY MEETING 4m

* Degression is dependent on the addition value and the working distance. See degression chart in the PRODUCTS section.

1.6 WIDEVIEW OCCUPATIONAL

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.6
V	Abbe Value:	42
	Density:	1.30
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Minimum fitting heights:
Regular 18mm
Short 14mm
- Fitting cross 2mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for driving

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓



* Diameters from 50mm to 80mm - dependent on prescription

DISPENSING INFORMATION



- MY DESKTOP 1.3m
- MY OFFICE 2m
- MY MEETING 4m

* Degression is dependent on the addition value and the working distance. See degression chart in the PRODUCTS section.

1.6 WIDEVIEW OCCUPATIONAL

Honeycomb with Hydro+

TECHNICAL INFORMATION

N	Refractive Index:	1.6
V	Abbe Value:	42
	Density:	1.30
	UV:	400

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Minimum fitting heights:
Regular 18mm
Short 14mm
- Fitting cross 2mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for tinting
- Not suitable for driving

LENS PROPERTIES

		Hydro+
	Optimum clarity	✓
	Scratch resistant	✓
	Easy clean	✓
	Anti-reflective	✓
	Super-hydrophobic	✓
	Thinner than CR39	✓
	Freeform technology	✓
	Filters blue light	



* Diameters from 50mm to 80mm - dependent on prescription

DISPENSING INFORMATION



- MY DESKTOP 1.3m
- MY OFFICE 2m
- MY MEETING 4m

* Degression is dependent on the addition value and the working distance. See degression chart in the PRODUCTS section.

1.67 WIDEVIEW OCCUPATIONAL

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.67
V	Abbe Value:	32
	Density:	1.35
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Minimum fitting heights:
Regular 18mm
Short 14mm
- Fitting cross 2mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for driving

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓



* Diameters from 50mm to 80mm - dependent on prescription

DISPENSING INFORMATION



- MY DESKTOP 1.3m
- MY OFFICE 2m
- MY MEETING 4m

* Degression is dependent on the addition value and the working distance. See degression chart in the PRODUCTS section.

1.67 WIDEVIEW OCCUPATIONAL

Honeycomb with Hydro+

TECHNICAL INFORMATION

N	Refractive Index:	1.67
V	Abbe Value:	32
	Density:	1.35
	UV:	400

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Minimum fitting heights:
Regular 18mm
Short 14mm
- Fitting cross 2mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for tinting
- Not suitable for driving

LENS PROPERTIES

	Hydro+
	Optimum clarity ✓
	Scratch resistant ✓
	Easy clean ✓
	Anti-reflective ✓
	Super-hydrophobic ✓
	Thinner than CR39 ✓
	Freeform technology ✓
	Filters blue light



* Diameters from 50mm to 80mm - dependent on prescription

DISPENSING INFORMATION

- MY DESKTOP 1.3m
- MY OFFICE 2m
- MY MEETING 4m

* Degression is dependent on the addition value and the working distance. See degression chart in the PRODUCTS section.